



# Master Sign Plan

Guidelines and Examples Revision 10.2.2015









# MASTER SIGN PLAN CONTENTS

#### 03 TENANT SIGNAGE

0 4	General Design Criteria
05	Overall Design of Signs
06	Prohibited Sign Types and Conditions
07	Computation of Sign Size
08	Definitions and General Guidelines
10	General Regulations Matrix
11	Code Variances and New Sign Types
12	Best in Class Images
20	Building B1 Elevations
24	Building B2 Elevations
28	Building B3 Elevations
32	Building C1 Elevations
36	Building C2 Elevations
45	Building C3 Elevations

Building C4/C5 Elevations

#### 53 WAYFINDING

Pedestrian Kiosk

#### 56 PARKING GARAGE EXTERIOR SIGNAGE

- 57 Marquee
- Entry/Exit 58



49











#### General Design Criteria

The objective of the sign design criteria is to provide standards and specifications that assure consistent quality for Tenant signage throughout the City of Dublin's Bridge Park district.

The criteria are intended to stimulate creative invention and achieve the highest standard of excellence in environmental graphic communication. Signage in Bridge Park is an integral part of the district's image and appeal, so the signs must be carefully placed and proportioned to each architectural façade. Care in the design and installation of signage will enhance visitors' and residents' appreciation of individual Tenants and contribute to the enduring success of Bridge Park.

For comprehensive regulations regarding business signage in the Bridge Street District of Dublin, please consult the following:

City of Dublin, Ohio Code of Ordinances, Section 153.065(H)

http://www.amlegal.com/library/oh/dublin.shtml

See Title XV: Land Usage, Chapter 153: Zoning Regulations, Section 153.065 Site development standards





#### Overall Design of Signs

The sign shall be in proportion to the space it will occupy.

Elements of the sign should create an overall cohesive design, reflect simplicity, avoid visual clutter and ensure legibility.

#### Tenant signage should:

- Provide the public with a safe and effective means of locating businesses from a pedestrian or from a vehicle perspective.
- Be scaled appropriately to the pedestrian realm and enhance the pedestrian experience.
- · Be consolidated into a minimum number of elements.
- · Have simple shape and appropriate contrast.
- · Be constructed with a minimum number of materials.
- · Be designed with harmonious use of colors.
- Be easy to read from the intended vantage point.
- · Be constructed & erected to complement the overall appearance of the building.
- Be fabricated on and of materials that are of permanent quality, good durability and are complementary to the building.
- Be constructed of materials that weather well and reduce maintenance.







#### Prohibited Sign Types and Conditions

- Unadorned rectangular cabinet signs with translucent or opaque faces. See p. 20 for examples.
- Temporary wall signs, pennants, banners, or inflatable displays, unless specifically approved by the Landlord; and if so, for no more than 30 days.
- No box signs hanging in window displays.
- No exposed junction boxes, wires, transformers, lamps, tubing, conduit, raceways or neon crossovers of any type.
- No pre-manufactured signs, such as franchise signs, that have not been modified to meet the specific criteria for this project.
- No paper, cardboard or Styrofoam signs, or stickers hung around or behind storefronts.
- No exposed fasteners, unless decorative fasteners are essential to the sign design concept.
- No flashing, oscillating, animated lights or other moving sign components.





#### Computation of Sign Size

#### Determining Sign Area or Dimension

- In the case of two-sided freestanding or projecting signs, the sign area consists of the entire surface area of the sign on which copy could be placed. For projecting signs, this is the area of one face of the sign.
- For a sign comprised of individual letters, or elements on a wall, the area of the sign shall encompass a regular, or a combination of regular geometric shapes which form or approximate the perimeter of all the elements in the display.

#### Determining Sign Mounting Height

• Sign mounting height shall be measured from the finished grade at the building base to the lowest element of the sign.

#### Determining Building Frontage and Building Unit

- The building wall that faces the principal street or the building wall that contains the main entrance to the uses therein shall be considered the building frontage.
- In the case of an irregular wall surface, a straight line extending along such wall surface shall be used to measure the length.





#### Definitions and General Guidelines

#### Fascia/Wall Sign

Also known as a storefront sign or business identification sign. Mounted parallel to the plane of the building.

#### All Fascia/Wall Signs shall:

- use sign design appropriate to Bridge Park
- · have a three-dimensional or layered construction
- · respect the architecture and scale of the building
- · support the concept, design and location of the store

Fascia/Wall signs may be applied to buildings in a variety of ways, including:

- painted wood or metal panels with painted, carved, or applied letters
- · individual cut metal letters applied directly to the building

#### **Projecting Sign**

A sign which is suspended from, attached to, or supported by a building, mounted perpendicular to the plane of the building. Projecting signs offer the opportunity for a more decorative and playful sign, and contribute to a pedestrian-friendly atmosphere.

#### All Projecting Signs shall:

- have support structures consistent with the aesthetics of the storefront
- be hung well out of reach of pedestrians, minimum 8' from finished grade and maximum 6' perpendicular projection from the building

#### **Placemaking Art Sign**

A larger projecting sign that offers the tenant more freedom with design and materiality to create a highly unique presence for their location. In turn, the design contributes to a diverse visual culture in Bridge Park. These signs may also be used to identify parking garage entrances. This sign type is permitted at designated locations in Bridge Park as marked in building elevations (see pps. 20–52).

#### All Placemaking Art Signs shall:

- be constructed utilizing layers, dimension, and possibly light (at the discretion of the Landlord)
- be located at the second story level and higher, above all other signage for the tenant

#### Sandwich Board Sign

These signs are reminiscent of a "Main Street" shopping experience and provide additional recognition for the retailer. Typical construction consists of two hinged boards resting on the ground level, outdoors.

#### All Sandwich Board Signs shall:


- be professionally designed and constructed, receiving Landlord approval
- be placed within six feet of a ground floor entrance so as not to disrupt pedestrian traffic
- be taken indoors each night







#### Definitions and General Guidelines




#### **Awning**

Tenants may select a solid awning color, and additionally, may print a design on 20% of the area of each awning. Printed designs may be in up to 2 colors that must be harmonious with the background color.

#### All Awnings shall:

- have a traditional straight "hood" structure (see drawing above), with no vertical front overhang. The ends may be open or closed
- feature Landlord-approved designs only



#### Canopy Edge Sign

Located on the street-facing edge of an architectural canopy structure. May be a tenant name, building address, or parking garage name.

#### All Canopy Edge Signs shall:

· consist of dimensional letters, numbers, or simple graphic elements

#### Window Sign

Window signs contribute to an inviting and distinctive street-level character. Content may include a logo or other graphic element; the tenant's name is not required.

#### All Window Signs shall:

• be applied directly to the interior surface of the glass. Methods include metal leaf, vinyl, painted, etched cut, and sandblasted lettering.





# Signs Allowed by Frontage

Tenants with frontage along 1 street = 2 building mounted signs.<sup>1</sup> Tenants with frontage along 2 streets = 3 building mounted signs. 1,6 Tenants with frontage along 3 streets = 4 building mounted signs. 1,6

# General Regulations Matrix

Sign Type		Allowab	le Area	Other Regulations
	Tenant ID Sign	Level 1 / Ground	Level 2	
	Address Numerals	≤2 sq ft	NP	Pin-mounted numerals over tenant entrances on primary street frontage.
Mounted	Fascia/Wall Sign <sup>2,3</sup>	1 sq ft per linear ft of frontage <sup>6</sup> , to a maximum ≤60 sq ft <sup>6</sup>	≤60 sq ft <sup>6</sup>	Tenants with frontage along Riverside Drive, Bridge Park Avenue, and Longshore Street are strongly encouraged to have at least (1) Fascia/Wall or Canopy Edge Sign (dependent upon building conditions) and (1) Projecting Sign located near an entrance. Level 2 Fascia/Wall signs are limited in
onr	Projecting Sign <sup>2</sup>	≤16 sq ft	NP	location and quantity based on building architecture. Mounting height to bottom of Fascia/Wall Signs
	Placemaking Art Sign <sup>5,8</sup>	NP	≤80 sq ft⁵	is 13 ft 6 in on Level 1.6 Mounting height to bottom of Projecting Signs is ≥8 ft. Mounting height to bottom of Placemaking Art Signs is ≥15 ft unless otherwise indicated in elevation views.
Building	Window Sign <sup>2,7</sup>	≤40% per window <sup>6</sup>	NP	Window graphics to be applied to the inside surface of the window as metal leaf, vinyl, paint, etched cut or sandblasted lettering. Designs may contain up to two colors.
	Awning <sup>2</sup>	≤20% of awning surface (printed design)	NP	Awning structure must be traditional straight "hood" style, and may be closed- or open-ended.  Tenant may dictate awning color and a two color printed design, subject to discretion of Landlord.
	Canopy Edge Sign <sup>5,8</sup>	≤50 sq ft⁵	NP	Individual channel or pin-mounted characters or a basic graphic element are required.
ary	Incidental/Temporary			
emporary	Window Display <sup>2</sup>	n/a	NP	Tenant may dictate design, subject to discretion of Landlord.
Tem	Sandwich Board <sup>4</sup>	≤6 sq ft per side, 3 ft height, qty. 1 per tenant	n/a	May include whiteboard and chalkboard elements. Must be well constructed using framing with neutral colors (black, brown, dark wood). Place within 6 ft of primary ground floor entrance.
90	Streetscape Elements	Level 0 / Streetscape		
sap	Freestanding Pedestrian Kiosk⁵	14 sq ft⁵		Double-sided metal structure with pedestrian map of Bridge Park.
Streetscsape	Tables and Chairs			Must be of sturdy, high quality construction and placed out of the established right-of-way.
tre	Stanchions and Fences			Must be of sturdy, high quality construction and placed out of the established right-of-way.
S	Plantings			Must be contained in movable pots/urns that do not interfere with right-of-way or streetscape plantings.

NP Not Permitted

n/a Not Applicable

3. Refer to Table 153.065-J

4. Refer to Table 153.065-K

New sign type

n/a Not Applicable
Signs must be of at least 2 different types
Suggested variance from Code of Ordinances

2. Refer to Table 153.065-I of Dublin, Ohio Code of Ordinances 7. Does not apply towards Tenant's allowed amount of building mounted signs

8. Permitted for use as exterior identification for Parking Garages







#### Code Variances

Sign Type	Existing Code	Proposed Addition/Modification
General	(153.065)(H)(6)(c)(2): Multiple tenant buildings. A combination of two different sign types are permitted for each ground floor tenant with a storefront.	A combination of two different building-mounted sign types are permitted for each ground floor tenant with a storefront. Ground-floor tenants with frontage along two streets are permitted a total of three building-mounted signs per storefront. Ground-floor tenants with frontage along three streets are permitted a total of four building-mounted signs per storefront. In all cases, signs must be of at least two different types.
Fascia/Wall Sign	Table 153.0651: Building-mounted sign requirements—Size ½ sq. ft. per each lineal foot of building wall or storefront width up to a maximum of 50 sq. ft.	1 sq. ft. per each lineal foot of building wall or storefront width up to a maximum of 60 sq. ft.
	Table 153.065I: Building-mounted sign requirements—Height Located within the first story as appropriate to each building type of §153.062(O) and shall not extend above the roofline.	Located within specified locations on Level 1 or Level 2 (see elevations, pp. 21-54) as appropriate to each building type of §153.062(O) and shall not extend above the roofline.
Window Sign	Table 153.065-I Size: 20% of cumulative surface area of the window to which it is attached, not to exceed 8 sq ft.	40% of cumulative surface area of the window to which it is attached, <del>not to exceed 8 sq ft.</del>

# New Sign Types\*

Sign Type	Description
Placemaking Art Sign	Maximum of 1 sign per tenant and at specified locations only. Maximum size 80 sq. ft. Must be located at the second story level or higher, as close as possible to the primary ground entrance.
Canopy Edge Sign	For number permitted, refer to 153.065(H)(6)(c)(2). Maximum size 50 sq. ft. Located at the front (street-facing) edge of an architectural canopy over the primary entrance. Must be comprised of individual channel or pin-mounted characters or a basic graphic element.
Freestanding Pedestrian Kiosk	1'-8" w x 8'-4"h kiosk with map to aid pedestrians in locating businesses and other features of Bridge Park.

<sup>\*</sup>Refer to pps. 14 and 16 (Placemaking Art Sign, Canopy Edge Sign) and 54 (Freestanding Pedestrian Kiosk) for visual examples.







## Fascia/Wall Sign for Level 1 Retail Tenant



Fascia/Wall Sign for Level 2 Office Tenant













# Projecting Sign



















# Placemaking Art Sign





















# Awning











# Canopy Edge Sign



















# Window Sign

















# Sandwich Board











#### Examples of Prohibited Designs

# Fascia/Wall Sign



- Rectangular cabinet sign with opaque face
- No dimensional design elements
- Exposed wiring and mounting brackets

#### Sandwich Board




- · Insufficient construction quality
- Replaceable letter face
- Non-neutral frame color

# Awning



- Roll-up design
- Printing on more than 20% of awning surface (stripes)
- Vertical front with frilled edge

# Window Sign




• Design covers more than 40% of window










# Building B1: Tenant Signage Level Diagram West Elevation (Riverside Dr.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




	Level 1		
	TENANT ID SIGN		
1B	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPORA	RY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign









# Building B1: Tenant Signage Level Diagram North Elevation

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




	Level 1		
	TENANT ID SIGN		
1B	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPO	DRARY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign









# Building B1: Tenant Signage Level Diagram South Elevation (Banker Dr.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




	Level 1		
	TENANT ID SIGN		
	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPOR	ARY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign









# Building B1: Tenant Signage Level Diagram East Elevation (Longshore St.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




		Level 1		
		TENANT ID SIGN		
1	В	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
		INCIDENTAL & TEMPORA	RY	
1	G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign









# Building B2: Tenant Signage Level Diagram West Elevation (Riverside Dr.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




		Level 1		
		TENANT ID SIGN		
	1B	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
l		INCIDENTAL & TEMPORAF	RΥ	
	1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign









# Building B2: Tenant Signage Level Diagram North Elevation (Bridge Park Ave.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




	Level 1		
	TENANT ID SIGN		
	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPO	DRARY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign









# Building B2: Tenant Signage Level Diagram South Elevation

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




Level 1 TENANT ID SIGN  1A Address Numerals* 1D Awning 1B Fascia/Wall Sign 1E Canopy Edge Sign 1C Projecting Sign 1F Window Sign* INCIDENTAL & TEMPORARY  1G Sandwich Board* 1H Window Display*				
1A Address Numerals* 1D Awning 1B Fascia/Wall Sign 1E Canopy Edge Sign 1C Projecting Sign 1F Window Sign*  INCIDENTAL & TEMPORARY		Level 1		
1B Fascia/Wall Sign 1E Canopy Edge Sign 1C Projecting Sign 1F Window Sign* INCIDENTAL & TEMPORARY		TENANT ID SIGN		
	1B	Fascia/Wall Sign	1E	Canopy Edge Sign
1G Sandwich Board* 1H Window Display*		INCIDENTAL & TEMPORA	RY	
- L	1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign









# Building B2: Tenant Signage Level Diagram East Elevation (Longshore St.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




	Level 1		
	TENANT ID SIGN		
1B	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPOR		window Jigii
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign










# Building B3: Tenant Signage Level Diagram West Elevation (Longshore St.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




	Level 1		
	TENANT ID SIGN		
	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPO	RARY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign










# Building B3: Tenant Signage Level Diagram North Elevation (Bridge Park Ave.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




	Level 1		
	TENANT ID SIGN		
	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPO	RARY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign









## Building B3: Tenant Signage Level Diagram South Elevation

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.



	Level 1		
	TENANT ID SIGN		
	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPORA	RY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign


\*It is recommended that these sign types do not count against a tenant's total allowed.







30



# Building B3: Tenant Signage Level Diagram East Elevation (Mooney St.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.



	Level 1		
	TENANT ID SIGN		
1B	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPO	DRARY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign










# Building C1: Tenant Signage Level Diagram West Elevation (Riverside Dr.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




	Level 1		
	TENANT ID SIGN		
1B	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPO	RARY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign










# Building C1: Tenant Signage Level Diagram North Elevation (Tuller Ridge Dr.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




		Level 1		
		TENANT ID SIGN		
1	В	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
		INCIDENTAL & TEMPORA	RY	
1	G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign









# Building C1: Tenant Signage Level Diagram South Elevation

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




	Level 1		
	TENANT ID SIGN		
	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPO	RARY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign









# Building C1: Tenant Signage Level Diagram East Elevation (Longshore St.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




	Level 1		
	TENANT ID SIGN		
1B	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPORA	RY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign









# Building C2: Tenant Signage Level Diagram West Elevation (Riverside Dr.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.



	Level 1		
	TENANT ID SIGN		
	Address Numerals* Fascia/Wall Sign Projecting Sign		Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPORARY		
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign


\*It is recommended that these sign types do not count against a tenant's total allowed.







36



### Building C2: Tenant Signage Level Diagram South Elevation (Bridge Park Ave.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




	Level 1		
	TENANT ID SIGN		
	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPOR	RARY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign









#### Building C2: Tenant Signage Level Diagram North Elevation

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.



	Level 1		
	TENANT ID SIGN		
1B	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPO	RARY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign


\*It is recommended that these sign types do not count against a tenant's total allowed.








38



# Building C2: Tenant Signage Level Diagram East Elevation (Longshore St.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




TENANT ID SIGN  1A Address Numerals* 1D Awning  1B Fascia/Wall Sign 1E Canopy Edge Sign  1C Projecting Sign 1F Window Sign*  INCIDENTAL & TEMPORARY		Level 1		
1B Fascia/Wall Sign 1E Canopy Edge Sign 1C Projecting Sign 1F Window Sign*  INCIDENTAL & TEMPORARY		TENANT ID SIGN		
	1B	Fascia/Wall Sign	1E	Canopy Edge Sign
		INCIDENTAL & TEMP	ORARY	
1G Sandwich Board* 1H Window Display*	1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign










Building C2: Tenant Signage Conceptual Rendering West Elevation (Riverside Dr.)










"Essere" Fashion Retail Tenant: Address Numerals, (2) Projecting Signs, (1) Canopy Edge Sign, (1) Awning with print, (4) Window Signs.












"Essere" Fashion Retail Tenant: Address Numerals, (2) Projecting Signs, (1) Fascia/Wall Sign, (1) Awning with print, (4) Window Signs.










"Ryan's Travel" Service Retail Tenant: Address Numerals, (1) Projecting Sign, (1) Canopy Edge Sign, (2) Window Signs.










"Accolades Steakhouse" Restaurant Tenant: Address Numerals, (1) Placemaking Art Sign, (1) Fascia/Wall Sign, multiple Window Signs, (1) Sandwich Board Sign, Plantings, Outdoor Seating.












### Building C3: Tenant Signage Level Diagram West Elevation (Longshore St.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




	Level 1		
	TENANT ID SIGN		
	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPO	DRARY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign








#### Building C3: Tenant Signage Level Diagram North Elevation

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




	Level 1		
	TENANT ID SIGN		
	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPORA	ARY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign









#### Building C3: Tenant Signage Level Diagram South Elevation (Bridge Park Ave.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




	Level 1		
	TENANT ID SIGN		
1B	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPOR	ARY	
1G	Sandwich Board*	1H	Window Display*

Level 2	
TENANT ID SIGN	
2A Fascia/Wall Sign	2B Placemaking Art Sign










### Building C3: Tenant Signage Level Diagram East Elevation (Mooney St.)

NOTE: These elevations are intended to show all possible sign locations by type. Refer to pps. 04-11 for specific allowances and restrictions.




	Level 1		
	TENANT ID SIGN		
1B	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPO	RARY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign










# Building C4/C5: Garage Signage Level Diagram West Elevation Area A (Longshore St.)

NOTE: These elevations depict the locations of wayfinding signage for parking. Refer to pps. 62-63 for visual examples.




	Level 1		
	TENANT ID SIGN		
1B	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPORA	RY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign










### Building C4/C5: Garage Signage Level Diagram North Elevation (Tuller Ridge Dr.)

NOTE: These elevations depict the locations of wayfinding signage for parking. Refer to pps. 62-63 for visual examples.




	Level 1		
	TENANT ID SIGN		
	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPO	RARY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign









#### Building C4/C5: Garage Signage Level Diagram South Elevation

NOTE: These elevations depict the locations of wayfinding signage for parking. Refer to pps. 62-63 for visual examples.




	Level 1		
	TENANT ID SIGN		
	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPO	RARY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign










# Building C4/C5: Garage Signage Level Diagram East Elevation Area B (Mooney St.)

NOTE: These elevations depict the locations of wayfinding signage for parking. Refer to pps. 62-63 for visual examples.



	Level 1		
	TENANT ID SIGN		
	Address Numerals* Fascia/Wall Sign Projecting Sign	1E	Awning Canopy Edge Sign Window Sign*
	INCIDENTAL & TEMPO	ORARY	
1G	Sandwich Board*	1H	Window Display*

	Level 2		
	TENANT ID SIGN		
2A	Fascia/Wall Sign	2B	Placemaking Art Sign










# MASTER SIGN PLAN: BRIDGE PARK WAYFINDING






















# MASTER SIGN PLAN: BRIDGE PARK PARKING GARAGE EXTERIOR SIGNAGE







West Elevation – Entrance from Tuller Ridge Rd.




South Elevation – Entrance from Longshore St.








West Elevation - Entrance from Longshore St.



North Elevation – Entrance from Tuller Ridge Rd.



East Elevation – Entrance from Mooney St.









**Longshore St. Lobby – West Entrance** 



**Mooney St. Lobby – Front Entrance** 



Longshore St. Lobby – East Entrance



